
Flight Planning Errors and Warnings



Skyplan Services Ltd.

Suite 104
7777 10th Street N.E.
Calgary, Alberta, Canada
T2E 8X2

Phone +403-275-2520
Fax +403-275-3877
Sita YYCSKXH
Arinc YQFSKXH
Aftn CYCXXSK

1. Table of Content

1.	Table of Content.....	i
2.	Overview.....	2-1
3.	Error Messages.....	3-1
4.	Warning Messages	4-1

2. Overview

This manual contains a listing of all Messages that are generated by Skyplan's Flight Planning System. They fall into the following categories:

1) Error Messages:

- Data Parsing Messages
- Data Validation Messages
- Runtime Error Messages
- Macro Maintenance Messages

2) Warning Messages

Each Error/Warning message has a brief explanation of what the Error/Warning message is about along with the appropriate response you should take in order to correct the error.

3. Error Messages

ERROR-001 PARAMETER /keyword/ INVALID KEYWORD

Explanation: Data Parsing Message. The system has encountered a keyword that it cannot recognize.

Response: Correct the keyword spelling and re-submit your request.

ERROR-002 PARAMETER /ETD nnnn/ INVALID (ONLY 0000 TO 2359)

Explanation: Data Validation Message. The Estimated Time of Departure must be a valid time in Zulu.

Response: Correct and re-submit your request.

ERROR-003 PARAMETER /ETD nnnn/ INVALID (ONLY 0000 TO 2359)

Explanation: Data Validation Message. The Estimated Time of Departure must be a valid time in Zulu.

Response: Correct and re-submit your request.

ERROR-004 PARAMETER /APF xxx/ AIRLINE PARAMETERS NOT DEFINED

Explanation: Data Validation Message. The system could not find the Airline Parameter File.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or you require a new or revised Airline Parameter File.

ERROR-005 PARAMETER /FMT nn/ FORMAT NOT FOUND

Explanation: Data Validation Message. The system could not find the requested Flight Plan format.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or you require a new or revised Flight Plan Format.

ERROR-006 PARAMETER /ACFT xxxx/ AIRCRAFT NOT FOUND

Explanation: Data Validation Message. The Aircraft could not be found in the Aircraft Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or you require to revise your Aircraft Data or to add a new Aircraft.

ERROR-007 PARAMETER /ORIG xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

**ERROR-008 PARAMETER /TALTN xxxx/ TAKEOFF ALTN TOO FAR FROM
XXXX**

Explanation: Data Validation Message. The specified Take-Off Alternate Airport is too far from the Originating Airport. The **TALTN** station must be within 500 nautical miles (for 2 engine aircraft) or 1000 nautical miles (for 3 or more engine aircraft).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-009 PARAMETER /TALTN xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-010 PARAMETER /DEST xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-011 PARAMETER /ALTN1 xxxx/ INVALID ALTERNATE FOR xxxx

Explanation: Data Validation Message. The specified Destination Alternate Airport is farther than 2,000 nautical miles.

Response: Correct and re-submit your request.

ERROR-012 PARAMETER /ALTN1 xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-013 PARAMETER /ALTN2 xxxx/ INVALID ALTERNATE FOR xxxx

Explanation: Data Validation Message. The specified Destination Alternate Airport is farther than 2,000 nautical miles.

Response: Correct and re-submit your request.

ERROR-014 PARAMETER /ALTN2 xxxx/ IS FARTHER THAN ALTN1 xxxx

Explanation: Data Validation Message. The secondary Destination Alternate Airport cannot be farther than the primary Destination Alternate Airport.

Response: Correct and re-submit your request.

ERROR-015 PARAMETER /ALTN2 xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-016 PARAMETER /DXPR nnnn/ DISPATCHER CODE NOT FOUND

Explanation: Data Validation Message. The Dispatcher Code could not be found in the Flight Operations Personnel Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to have the new Dispatcher Code added to the Flight Operations Personnel Database.

ERROR-017 PARAMETER /RTE nn/ MTT FOUND IN ROUTE

Explanation: Data Validation Message. The system cannot run a TEST Flight Plan with a Route that contains an MTT airway.

Response: Correct and re-submit your request. Contact Skyplan if you wish the Route to be revised (i.e.: remove the MTT airway from the specific Citypair Route).

ERROR-018 PARAMETER /RCPNT xxxxxxxxxxxxxxxx/ WAYPOINT NOT ON ROUTE

Explanation: Data Validation Message. The specified Reclear Waypoint is not in the specified Route Structure.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the selected City-Pair Route Structure.

ERROR-019 PARAMETER /RCDEST xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-020 PARAMETER /RCALTN xxxx/ INVALID ALTERNATE FOR xxxx

Explanation: Data Validation Message. The specified Destination Alternate Airport is farther than 2,000 nautical miles.

Response: Correct and re-submit your request.

ERROR-021 PARAMETER /RCALTN xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-022 PARAMETER /ETP x/ INVALID (ONLY Y/N or 1-NN)

Explanation: Data Validation Message. The valid **ETP** values are "Y" for Yes (default Airline ETP Policy), "N" for No (no ETP calculation), or 1-NN for the desired ETP Policy.

Response: Correct and re-submit your request.

ERROR-023 PARAMETER /ENRT xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-024 TOD occurs before TOC. Check flight levels.

Explanation: Runtime Error Message. The aircraft begins its descent before it has completed its climb, usually due to a short leg distance.

Response: Use the **FL** or **ALTPROF** keywords to restrict the maximum altitude and re-submit your request.

ERROR-025 PARAMETER /CONF n/ INVALID CONFIGURATION (ONLY 0 OR 1)

Explanation: Data Validation Message. The selected Empty Operating Weight configuration is not defined.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-026 PARAMETER /EOW nnnn/ UNDER AIRCRAFT LIMIT OF nnnnn

Explanation: Data Validation Message. The Empty Operating Weight cannot be lower/higher than the minimum/maximum Empty Operating Weight of the Aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-027 PARAMETER /EOW nnnn/ OVER AIRCRAFT LIMIT OF nnnnn

Explanation: Data Validation Message. The Empty Operating Weight cannot be lower/higher than the minimum/maximum Empty Operating Weight of the Aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-028 PARAMETER /PYLD nnnn/ PAYLOAD CAPACITY EXCEEDED BY nnnnn

Explanation: Data Validation Message. The payload onboard cannot exceed the maximum dry weight of the aircraft (i.e.: EZFW - Estimated Zero Fuel Weight).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-029 PARAMETER /ENRTWX xxxx/ MAX 12 AIRPORTS ONLY

Explanation: Data Validation Message. The system can only accept a maximum of 12 En-route airports.

Response: Correct and re-submit your request.

ERROR-030 PARAMETER /MLW nnnn/ EZFW+FUEL EXCEEDS MLW BY nnnnn

Explanation: Data Validation Message. The EZFW (EOW+PYLD) plus the Calculated Minimum Landing fuel exceeds the Maximum Structural Landing weight of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-031 PARAMETER /ETOW nnnn/ CANNOT USE WITH MAX PYLD/TKF OPTIONS

Explanation: Data Validation Message. You cannot specify the Estimated Take-Off Weight when you have requested the system to calculate the maximum payload (/PYLD MAX/) or the maximum fuel to tanker (/TKF MAX/).

Response: Correct and re-submit your request.

ERROR-032 PARAMETER /ETOW nnnn/ EXCEEDS MTOW BY nnnnn

Explanation: Data Validation Message. The specified Estimated Take-Off Weight cannot exceed the maximum Structural Take-Off weight of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-033 PARAMETER /ETOW nnnn/ EXCEEDS MAX FUEL UPLIFT BY nnnnn

Explanation: Data Validation Message. The specified Estimated Take-Off Weight indicates you have more Fuel onboard than the aircraft can carry.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-034 PARAMETER /ETOW nnnn/ LESS THAN EZFW+FOB BY nnnnn

Explanation: Data Validation Message. The specified Estimated Take-Off Weight cannot be less than the combined weight of aircraft, payload, and fuel.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-035 PARAMETER /ENRTWX xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-036 PARAMETER /keyword/ MISSING

Explanation: Data Validation Message. The specified required information was not provided in the Flight Plan request.

Response: Correct and re-submit your request.

ERROR-037 PARAMETER /keyword xxxx/ INVALID (ONLY A-Z)

Explanation: Data Validation Message. The keyword input "xxxx" was not the correct data type.

Response: Correct and re-submit your request.

ERROR-038 PARAMETER /keyword xxxx/ INVALID LENGTH

Explanation: Data Validation Message. The keyword input "xxxx" was not the correct length.

Response: Correct and re-submit your request.

ERROR-039 PARAMETER /keyword/ MISSING

Explanation: Data Validation Message. The specified required information was not provided in the Flight Plan request.

Response: Correct and re-submit your request.

ERROR-040 PARAMETER /keyword xxnn/ INVALID (ONLY A-Z,0-9)

Explanation: Data Validation Message. The keyword input "xxnn" was not the correct data type.

Response: Correct and re-submit your request.

ERROR-041 PARAMETER /keyword xxxx/ INVALID LENGTH

Explanation: Data Validation Message. The keyword input "xxxx" was not the correct length.

Response: Correct and re-submit your request.

ERROR-042 PARAMETER /keyword/ MISSING

Explanation: Data Validation Message. The specified required information was not provided in the Flight Plan request.

Response: Correct and re-submit your request.

ERROR-043 PARAMETER /keyword nnnn/ INVALID (ONLY 0-9)

Explanation: Data Validation Message. The keyword input "nnnn" was not correct data type.

Response: Correct and re-submit your request.

ERROR-044 PARAMETER /keyword nnnn/ INVALID (ONLY nn TO nn)

Explanation: Data Validation Message. The keyword input "nnnn" was outside the acceptable range.

Response: Correct and re-submit your request.

ERROR-045 PARAMETER /keyword nnnn/ INVALID LENGTH

Explanation: Data Validation Message. The keyword input "nnnn" was not the correct length.

Response: Correct and re-submit your request.

ERROR-046 PARAMETER /FLTDY nn/ INVALID FLIGHT DAY (NN TO NN)

Explanation: Data Validation Message. The specified Flight Day (FLTDY) is outside the valid range of days (i.e.: -2/+4 days).

Response: Correct and re-submit your request.

ERROR-047 RECLEAR BURNS TOO HIGH BY nnnnn

Explanation: Runtime Error Message. Unable to compute Flight Plan with desired Reclear because of insufficient fuel on board.

Response: Correct and re-submit your request.

ERROR-048 ERR20: CANNOT PROCEED WITH FUEL BURNS

Explanation: Runtime Error Message. The system encountered problems with the specified aircraft performance data and could not complete the Flight Plan calculations.

Response: Contact Skyplan immediately.

ERROR-049 PARAMETER /WXBR xxxxxxxx/ CANNOT FIND WX BRIEFING MACRO

Explanation: Data Validation Message. The specified Weather Briefing macro could not be found by the system. The macro must be either a valid macro number (i.e.: 2) or a customer macro (i.e.: BRIEF1).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to use a custom Weather Briefing macro.

ERROR-050 PARAMETER /IFTYP x/ INVALID FLT TYPE (ONLY S/N/G/M/X)

Explanation: Data Validation Message. The specified ATC Flight Type is not a valid code.

Response: Correct and re-submit your request.

ERROR-051 PARAMETER /ETA nnnn/ FLIGHT TIME LESS THAN 15 MINUTES

Explanation: Data Validation Message. The specified Flight Time (ETA-ETD) cannot be less than 15 minutes.

Response: Correct and re-submit your request.

ERROR-052 PARAMETER /ETA nnnn/ FLIGHT TIME EXCEEDS 15 HOURS

Explanation: Data Validation Message. The specified Flight Time (ETA-ETD) cannot be more than 15 hours.

Response: Correct and re-submit your request.

ERROR-053 NO EQUAL TIME POINT EXISTS (xxxx-xxxx)

Explanation: Runtime Error Message. Unable to compute Flight Plan with the specified Equal Time Point enroute stations.

Response: Correct and re-submit your request.

ERROR-054 PARAMETER /MACRx xxxxxxxx/ INVALID KEYWORD

Explanation: Macro Maintenance Message. The system has encountered a keyword that it cannot recognize.

Response: Correct the keyword spelling and re-submit your request.

ERROR-055 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-056 PARAMETER /RTE nn/ MTT NOT DEFINED FOR CITYPAIR

Explanation: Data Validation Message. The requested Citypair does not have the MTT flag (Minimum Time Track) defined. This flag tells the system to generate an MTT route for the Final Flight Plan Request.

Response: Correct and re-submit your request. Contact Skyplan to have the MTT Flag enabled for this Citypair.

ERROR-057 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-058 PARAMETER /IFRULE x/ INVALID FLIGHT RULE (ONLY I/V/Y/Z)

Explanation: Data Validation Message. The specified ATC Flight Rule is not a valid code.

Response: Correct and re-submit your request.

ERROR-059 PARAMETER /ETD nnnn/ BEYOND 24 HOURS IN THE FUTURE

Explanation: Data Validation Message. The specified Estimated Time of Departure is greater than 24 hours in the future. The system can only produce Flight Plans for flights with an **ETD** that is within 24 hours from the current time of submission (in Zulu Time).

Response: Correct and re-submit your request. Wait for the **ETD** to be within the 24-hour window before submitting the request again.

ERROR-060 PARAMETER /FO nnnn/ FIRST OFFICER CODE NOT FOUND

Explanation: Data Validation Message. The First Officer Code could not be found in the Flight Operations Personnel Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to have the new First Officer Code added to the Flight Operations Personnel Database.

ERROR-061 PARAMETER /FE nnnn/ FLIGHT ENGINEER CODE NOT FOUND

Explanation: Data Validation Message. The Flight Engineer Code could not be found in the Flight Operations Personnel Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to have the new Flight Engineer Code added to the Flight Operations Personnel Database.

ERROR-062 PARAMETER /DEST xxxx/ NO ALTERNATES ON FILE

Explanation: Data Validation Message. The system could not find any destination alternate airports in the Alternates Database.

Response: Use the **ALTN1** keyword to specify a non-Preferred Alternate (within 2,000 nautical miles). Contact Skyplan to have the desired Alternate Airport(s) loaded in the Alternates Database for the specified Destination airport.

**ERROR-063 PARAMETER /FLTNO TEST/ CANNOT PROCESS SECONDARY
FP REQUEST**

Explanation: Data Validation Message. You can only produce a simple Flight Plan when using the "TEST" Flight Number Keyword. To request a Flight Plan with one or more secondary Flight Plans, ensure the **FLTNO** is a valid Flight Number.

Response: Correct and re-submit your request.

ERROR-064 PARAMETER /ENRT xxxx/ MAX 6 AIRPORTS ONLY

Explanation: Data Validation Message. The system can only accept a maximum of six (6) en-route airports.

Response: Correct and re-submit your request.

ERROR-065 PARAMETER /keyword/ MISSING

Explanation: Data Validation Message. The specified required information was not provided in the Flight Plan request.

Response: Correct and re-submit your request.

**ERROR-066 PARAMETER /PYLD nnnn - ZFW nnnn/ CANNOT USE
TOGETHER**

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since they both determine the Payload for the flight. Use the **PYLD** keyword to explicitly specify the payload weight. Use the **ZFW** (Zero Fuel Weight) to have the system calculate the payload weight.

Response: Correct and re-submit your request.

**ERROR-067 PARAMETER /ZFW nnnn/ PAYLOAD CAPACITY EXCEEDED
BY nnnn**

Explanation: Data Validation Message. The payload onboard cannot exceed the maximum dry weight of the aircraft (i.e.: EZFW - Estimated Zero Fuel Weight).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-068 PARAMETER /RTEDTL x/ INVALID (ONLY Y/N/S)

Explanation: Data Validation Message. The valid **RTEDTL** values are "Y" for Yes, "N" for No, or "S" for Suppress Flight Plan.

Response: Correct and re-submit your request.

ERROR-069 ROUTE ANALYSIS NOT FOUND

Explanation: Runtime Error Message. The system could not find the Route Analysis Listing for the requested flight.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-070 ROUTE ANALYSIS NOT FOUND

Explanation: Runtime Error Message. The system could not find the Route Analysis Listing for the requested flight.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-071 ROUTE ANALYSIS NOT FOUND

Explanation: Data Validation Message. The system could not find the Route Analysis Listing for the requested flight.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-072 PARAMETER /ATCFIL x/ INVALID (ONLY Y/R)

Explanation: Data Validation Message. The valid **ATCFIL** values are "Y" for Yes or "R" for re-file.

Response: Correct and re-submit your request.

ERROR-073 PARAMETER /ATCFIL x/ FLIGHT PLAN NOT FINALIZED

Explanation: Data Validation Message. The flight plan must be finalized before it can be filed with ATC.

Response: Run the flight plan without the **ATCFIL** keyword, and then issue a separate request with the **ATCFIL** keyword to file the Flight Plan with ATC.

ERROR-074 PARAMETER /ETOP/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ETOP** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-075 CANNOT USE EOP/EOS KEYWORD(S) IN A MACRO

Explanation: Data Parsing Message. A macro cannot contain secondary flight plan information.

Response: Correct and re-submit your request.

ERROR-076 RECLEAR WAYPOINT MUST BE BETWEEN xxxxxxxx AND xxxxxxxx

Explanation: Runtime Error Message. The Reclear waypoint specified was outside the range of valid waypoints on the Route.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-077 PARAMETER /ATCADR xxxxxxxx/ MAX 7 ADDRESSES ONLY

Explanation: Data Validation Message. The system can only accept a maximum of 7 addresses.

Response: Correct and re-submit your request.

ERROR-078 PARAMETER /ATCADR xxxxxxxx/ DUPLICATE ADDRESS

Explanation: Data Validation Message. The system encountered a duplicate address.

Response: Correct and re-submit your request.

ERROR-079 STRUCTURAL LANDING WEIGHT EXCEEDED (nnnnnn)

Explanation: Runtime Error Message. The system has computed a landing weight that exceeds the physical/structural limits of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-080 ETOW EXCEEDS MTOW BY nnnnn

Explanation: Runtime Error Message. The system has computed an estimated Take-off weight that exceeds the Maximum Take-off weight of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-081 ETOW EXCEEDS MAX FUEL UPLIFT BY nnnnn

Explanation: Runtime Error Message. The system has computed an estimated Take-off weight that exceeds the Maximum Fuel capacity of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

**ERROR-082 PARAMETER /keyword xxxx/ INVALID WITH ATCFIL
KEYWORD**

Explanation: Data Validation Message. The system encountered a keyword that cannot be used with the ATC File request keywords.

Response: Correct and re-submit your request.

ERROR-083 PARAMETER /ADR xxxxxxxx/ INVALID ADDRESS

Explanation: Data Validation Message. The system encountered an invalid SITA address.

Response: Correct and re-submit your request.

ERROR-084 PARAMETER /ADR xxxxxx/ MAX 7 ADDRESSES ONLY

Explanation: Data Validation Message. The system can only accept a maximum of seven (7) addresses.

Response: Correct and re-submit your request.

ERROR-085 PARAMETER /ADR xxxxxxxx/ DUPLICATE ADDRESS

Explanation: Data Validation Message. The system encountered a duplicate address.

Response: Correct and re-submit your request.

ERROR-086 NO STANDARD CRUISE FIGURES FOR 02 ENGINE(S)

Explanation: Runtime Error Message. The system encountered problems with the specified aircraft performance data and could not complete the Flight Plan calculations.

Response: Contact Skyplan immediately.

ERROR-087 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-088 ERROR: [xxx] WIND MODEL DATA NOT FOUND

Explanation: Runtime Error Message. The system could not find valid Wind Data for the requested Wind Model (**WNSRC**).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-089 ERR21: NO FUEL BURNS FOR MACH nn

Explanation: Runtime Error Message. The system encountered problems with the specified aircraft performance data and could not complete the Flight Plan calculations. May be caused when attempting to cap the Flight Level (see **FL** keyword) or changing the Cruise Mode (see **CRZ** keyword).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-090 PARAMETER /MACRA xxxxxxxx/ MACRO ALREADY EXISTS

Explanation: Macro Maintenance Message. The system has found a macro with the same name as the macro you are attempting to add.

Response: Change the name of the macro or use the **MACRC** keyword to replace/overwrite an existing macro.

ERROR-091 PARAMETER /MACRC xxxxxxxx/ MACRO NOT FOUND

Explanation: Macro Maintenance Message. The system could not find the macro.

Response: Change the name of the macro or use the **MACRL** keyword to get a list of all your pre-stored macros.

ERROR-092 PARAMETER /MACRD xxxxxxxx/ MACRO NOT FOUND

Explanation: Macro Maintenance Message. The system could not find the macro.

Response: Change the name of the macro or use the **MACRL** keyword to get a list of all your pre-stored macros.

ERROR-093 PARAMETER /MACRL xxxxxxxx/ MACRO NOT FOUND

Explanation: Macro Maintenance Message. The system could not find the macro.

Response: Change the name of the macro or use the **MACRL** keyword to get a list of all your pre-stored macros.

ERROR-094 PARAMETER /keyword/ INVALID KEYWORD

Explanation: Data Parsing Message. The system has encountered a keyword in the specified macro that it cannot recognize.

Response: Correct the keyword spelling in the macro using the **MACRC** keyword then re-submit your request.

ERROR-095 PARAMETER /FLTDY nn/ INVALID FLIGHT DAY (NN TO NN)

Explanation: Data Validation Message. The specified Flight Day (**FLTDY**) is outside the valid range of days (i.e.: Current/+4 days).

Response: Correct and re-submit your request.

ERROR-096 RECLEAR WAYPOINT NOT FOUND IN ROUTE

Explanation: Runtime Error Message. The specified Reclear Waypoint is not in the specified Route Structure.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the selected City-Pair Route Structure.

ERROR-097 PARAMETER /RCDEST xxxx/ NO ALTERNATES ON FILE

Explanation: Data Validation Message. The system could not find any destination alternate airports in the Alternates Database.

Response: Use the **RCALTN** keyword to specify a non-Preferred Alternate (within 2,000 nautical miles). Contact Skyplan to have the desired Alternate Airport(s) loaded in the Alternates Database for the specified Destination airport.

ERROR-098 FAILED TO GENERATE AIRWAYS MTT ON ROUTE xxxx-xxxx

Explanation: Runtime Error Message. The system could not generate a Random Route (MTTA) for the specified City-Pair Route.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to have a fixed Route Structure created for the specified City-Pair.

ERROR-099 FAILED TO GENERATE AIRWAYS MTT ON ROUTE xxx-xxx-nn

Explanation: Runtime Error Message. The system could not generate a Random Route (MTTA) for the specified City-Pair Route.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to have a fixed Route Structure created for the specified City-Pair.

ERROR-100 PROBLEM WITH ROUTE ANALYSIS...CONTACT SKYPLAN

Explanation: Runtime Error Message. The system could not generate a Route Analysis for the specified City-Pair Route.

Response: Contact Skyplan immediately.

ERROR-101 ETP FUEL SHORT BY nnnnn

Explanation: Runtime Error Message. Unable to compute Flight Plan with desired ETPs because of insufficient fuel on board.

Response: Add the specified fuel to Additional Fuel (**ADF** Keyword) and re-submit your request.

ERROR-102 FL (nnn) IS LESS THAN THE MINIMUM FL (nnn) FOR THIS MACH

Explanation: Runtime Error Message. The system could not find any Aircraft Performance data for the Flight Level/Cruise Mode specified.

Response: Correct and re-submit your request.

ERROR-103 ROUTE DISTANCE SHORTER THAN DESCENT

Explanation: Runtime Error Message. The system computed a route from the Reclear Point to the Reclear Destination that is shorter than the distance required to descent to the Reclear Destination.

Response: Change the Reclear Point or Reclear Destination and re-submit your request.

ERROR-104 REQUIRED TOW OF nnnnnn EXCEEDS EOW+PYLD+FUEL SPECIFIED

Explanation: Runtime Error Message. The system calculated a Take-Off weight that exceeds the Maximum Take-Off weight of the aircraft. This may happen when the ETOW (Estimated Take-Off Weight) keyword is less than the calculated TOW.

Response: Correct and re-submit your request.

ERROR-105 STRUCTURAL LANDING WEIGHT EXCEEDED BY nnnnn

Explanation: Runtime Error Message. The system has computed a landing weight that exceeds the physical/structural limits of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

**ERROR-106 PARSING ERROR(S) IN MACRO /MASTER/
ERROR-106 PARSING ERROR(S) IN MACRO /MASTER.apf/**

Explanation: Data Parsing Message. The system has encountered one or more invalid keywords in the MASTER Customer macro that it cannot recognize.

Response: Correct the keyword spelling in the MASTER macro using the **MACRC** keyword then re-submit your request.

**ERROR-107 PARSING ERROR(S) IN MACRO /xxxxxxx/
ERROR-107 PARSING ERROR(S) IN MACRO /xxxxxxx.apf/**

Explanation: Data Parsing Message. The system has encountered one or more invalid keywords in the specified Customer macro that it cannot recognize.

Response: Correct the keyword spelling in the Customer macro using the **MACRC** keyword then re-submit your request.

ERROR-108 PARAMETER /MACRx xxxxxxx.apf/ INVALID AIRLINE PARAMETERS

Explanation: Macro Maintenance Message. The system could not find the specified Airline Parameter File (identified by the 3 characters following the macro name after the ".").

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-109 DESCENT PROFILE xxxxxxxxxxxxxxxx NOT AVAILABLE

Explanation: Runtime Error Message. The system could not locate the specified Aircraft Performance Descent Profile information to complete the Equal Time Point calculation in Flight Plan request.

Response: Contact Skyplan immediately.

ERROR-110 INVALID. RANGE (nn TO nn)

Explanation: Runtime Error Message. The specified Cruise Mode value is outside the range of available Aircraft Performance Cruise information.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-111 PARAMETER /ENRT xxxx/ DUPLICATE AIRPORT

Explanation: Data Validation Message. The system found a duplicate airport in the En-route Keyword (**ENRT**). Duplicate airports are only allowed when the Equal Time Point keyword is set to YES (**/ETP Y/**).

Response: Correct and re-submit your request.

ERROR-112 PARAMETER /ENRT/ INVALID NUMBER OF AIRPORTS

Explanation: Data Validation Message. The system found an invalid number of airports in the En-route Keyword (**ENRT**). An even number of airports is required (2/4/6) when the Equal Time Point keyword is set to YES (**/ETP Y/**).

Response: Correct and re-submit your request.

ERROR-113 PARAMETER /RCPNT/ MISSING

Explanation: Data Validation Message. A Reclear/Re-file Flight Plan was requested but the Reclear Point keyword (**RCPNT**) was not provided in the Flight Plan request.

Response: Correct and re-submit your request.

ERROR-114 NO xxx BURNS FOR WEIGHT: nnnnnn

ERROR-114 ERR12: NO xxx BURNS FOR WEIGHT OF nnnnnn

Explanation: Runtime Error Message. The system could not find any Cruise (xxx is the selected CRZ mode) Aircraft Performance data for the calculated Aircraft weight.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-115 NO FUEL BURNS FOR MACH: nn WEIGHT: nnnnnn

Explanation: Runtime Error Message. The system could not find any Aircraft Performance data at the specified Mach value and calculated Aircraft weight.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-116 ALTN: NO FUEL BURNS FOR MACH: nn WEIGHT: nnnnnn

Explanation: Runtime Error Message. The system could not find any Aircraft Performance data at the specified Mach value and calculated Aircraft weight for the Destination to Alternate fuel burn calculation.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-117 PARAMETER /RTE/ AND /VIA/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since the **VIA** keyword creates a Random Route. Use the **RTE** keyword for a specific pre-stored route. Use the **VIA** keyword to have the system generate a Random Route using specified waypoints.

Response: Correct and re-submit your request.

ERROR-118 PARAMETER /VIA xxxxxx/ MAX nnn WAYPOINTS ONLY
ERROR-118 PARAMETER /RTEMAN xxxxxx/ MAX nnn WAYPOINTS ONLY

Explanation: Data Validation Message. You have reached the maximum number of waypoints the system can process.

Response: Correct and re-submit your request.

ERROR-119 PARAMETER /VIA xxxxxx/ WAYPOINT NOT FOUND
ERROR-119 PARAMETER /RTEMAN xxxxxx/ WAYPOINT NOT FOUND

Explanation: Data Validation Message. The Waypoint could not be found in the Waypoint Database.

Response: Correct and re-submit your request. If the waypoint is a Coordinate (i.e.: 33N110W), contact Skyplan to have the Lat/Long waypoint added to the Waypoints Database.

ERROR-120 PARAMETER /VIA xxxxxx/ DUPLICATE WAYPOINT(S) FOUND
ERROR-120 PARAMETER /RTEMAN xxxxxx/ DUPLICATE WAYPOINT(S) FOUND

ERROR-120 DUPLICATE WAYPOINT: xxxxxx-xx-x

Explanation: Data Validation Message. The Waypoint in the Waypoint Database is not unique (i.e.: appears in more than one country, or there is a VOR and an NDB waypoint by the same name).

Response: Provide the country code and possibly the type of waypoint when specifying the waypoint name (in the form "Waypoint-Country-Type").

ERROR-121 PARAMETER /VIA xxxxxx-xx/ DUPLICATE WAYPOINT(S) FOUND
ERROR-121 PARAMETER / RTEMAN xxxxxx-xx/ DUPLICATE WAYPOINT(S) FOUND

ERROR-121 DUPLICATE WAYPOINT: xxxxxx-xx-x

Explanation: Data Validation Message. The Waypoint in the Waypoint Database is not unique (i.e.: appears in more than one country, or there is a VOR and an NDB waypoint by the same name).

Response: Provide the country code and possibly the type of waypoint when specifying the waypoint name (in the form "Waypoint-Country-Type").

ERROR-122 PARAMETER /VIA xxxxxx/ INVALID WAYPOINT FORMAT
ERROR-122 PARAMETER / RTEMAN xxxxxx/ INVALID WAYPOINT
FORMAT

Explanation: Data Validation Message. The Waypoint specified was not in the proper format. When specifying a non-unique waypoint, use the format "Waypoint-Country-Type".

Response: Correct and re-submit your request.

ERROR-123 PARAMETER /VIA xxxxxx/ INVALID TYPE (ONLY V/N/E/T)
ERROR-123 PARAMETER / RTEMAN xxxxxx/ INVALID TYPE (ONLY
V/N/E/T)

Explanation: Data Validation Message. The type of Waypoint specified was incorrect. Valid waypoint types are:

- V: VOR Waypoint
- N: NDB Waypoint
- E: En-route Waypoint
- T: Terminal Waypoint (Note: Only valid in Sid/Star procedures)

Response: Correct and re-submit your request.

ERROR-124 PARAMETER /VIA xxxxxx/ CANNOT BE A TERMINAL
WAYPOINT
ERROR-124 PARAMETER / RTEMAN xxxxxx/ CANNOT BE A TERMINAL
WAYPOINT

Explanation: Data Validation Message. The system cannot use a Terminal Waypoint when creating a Route via the specified waypoint.

Response: Correct and re-submit your request.

ERROR-125 PARAMETER /VIA xxxxxx/ CANNOT BE A TERMINAL
WAYPOINT
ERROR-125 PARAMETER / RTEMAN xxxxxx/ CANNOT BE A TERMINAL
WAYPOINT

Explanation: Data Validation Message. The system cannot use a Terminal Waypoint when creating a Route via the specified waypoint.

Response: Correct and re-submit your request.

ERROR-126 DUPLICATE WAYPOINTS IN ROUTE

Explanation: Runtime Error Message. The waypoints specified in the **VIA** keyword caused the system to generate a route through the same waypoint(s) (i.e.: the system generated a circular route).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-127 NO LRC DATA FOR nn ENGINE(S)

ERROR-127 ALTN: NO LRC FIGURES FOR nn ENGINE(S)

Explanation: Runtime Error Message. The system could not find any cruise Aircraft Performance data for the number of engines when performing the Equal Time Point calculation.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-128 PARAMETER /ETOPSTN xxxx/ MAX 13 AIRPORTS ONLY

Explanation: Data Validation Message. The system can only accept a maximum of thirteen (13) airports.

Response: Correct and re-submit your request.

ERROR-129 PARAMETER /ETOPSTN xxxx/ AIRPORT NOT FOUND

Explanation: Data Validation Message. The Airport Designator could not be found in the Airport Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to add or revise Airports in the Database.

ERROR-130 PARAMETER /ETOPSTN xxxx/ DUPLICATE AIRPORT

Explanation: Data Validation Message. The system encountered a duplicate airport.

Response: Correct and re-submit your request.

ERROR-131 PARAMETER /ETOPSTN/ AIRCRAFT ETOPS MIN/TAS NOT DEFINED

Explanation: Data Validation Message. The system is unable to perform the ETOPS Route Compliance routine, as the ETOPS rules for the selected aircraft have not been defined in the Aircraft Database.

Response: Contact Skyplan to have the ETOPS rules added for this aircraft.

ERROR-132 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-133 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-134 PARAMETER /RMKS/ MAX 12 LINES ALLOWED (720 CHARS MAX)

Explanation: Data Validation Message. The system can only handle a maximum of 720 characters for the Remarks field (i.e.: 12 lines of 60 characters each).

Response: Correct and re-submit your request.

ERROR-135 PARAMETER /AUTOSEC x/ INVALID (ONLY Y/N/1-7)

Explanation: Data Validation Message. The valid **AUTOSEC** values are "Y" for Yes, "N" for No, or valid auto-secondary calculation type (1-7).

Response: Correct and re-submit your request.

ERROR-136 PARAMETER /RMPF/ AND /TKF/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time. Also, you cannot specify the Ramp Fuel when you have requested the system to calculate the maximum fuel to tanker (**/TKF MAX/**).

Response: Correct and re-submit your request.

**ERROR-137 PARAMETER /RMPF nnnn/ RAMP FUEL TOO LOW
(MIN=nnnnnn)**

Explanation: Data Validation Message. You have specified Ramp Fuel that is less than the minimum required at Engine Start-up.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

**ERROR-138 PARAMETER /RMPF nnnn/ RAMP FUEL TOO HIGH
(MAX=nnnnnn)**

Explanation: Data Validation Message. You have specified Ramp Fuel that is greater than the capacity of the fuel tanks of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

**ERROR-139 PARAMETER /RMPF nnnn/ EXCEEDS MAX RAMP WEIGHT BY
nnnnn**

Explanation: Data Validation Message. The specified Ramp Fuel (**RMPF**) plus the specified Payload (**PYLD**) exceeds the Maximum Ramp Weight of the Aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

**ERROR-140 PARAMETER /ZFW nnnn/ BELOW EOW OF AIRCRAFT
MIN=nnnnnn)**

Explanation: Data Validation Message. You have specified a Zero Fuel Weight that is less than the minimum Empty Operating Weight of the aircraft.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-141 PARAMETER /RMPF/ AND /ETOW/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since **ETOW** (Estimated Take-off Weight) will be calculated when the **RMPF** keyword (Ramp Fuel) is specified.

Response: Correct and re-submit your request.

ERROR-143 PARAMETER /RTEDTL x/ NOT VALID WITH /FLTNO TEST/

Explanation: Data Validation Message. The Route Detail keyword is not available when requesting a TEST Flight Plan. The Route Detail printout is only available when requesting a non-TEST Flight Plan.

Response: Correct and re-submit your request.

ERROR-144 PARAMETER /ALTPROF/ AND /VIA/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system cannot Altitude Profile a route which has been requested using the **VIA** keyword as the system cannot resolve all intermediate waypoints along the route.

Response: Correct and re-submit your request. Contact Skyplan if you wish the specific route be added to the Route Database.

ERROR-145 PARAMETER /AFIS x/ INVALID (ONLY G/A)

Explanation: Data Validation Message. The valid **AFIS** values are "G" for Global AFIS flight plan, "A" for Arinc AFIS flight plan.

Response: Correct and re-submit your request.

ERROR-146 PARAMETER /AFIS x/ NOT VALID WITH /FLTNO TEST/

Explanation: Data Validation Message. The AFIS flight plan keyword is not available when requesting a TEST Flight Plan. This keyword is only valid once the flight plan has been finalized.

Response: Correct and re-submit your request.

ERROR-147 PARAMETER /ALTPROF xxxxxxxxxxxxxxxx/ WAYPOINT NOT IN ROUTE

Explanation: Data Validation Message. The specified Waypoint is not in the specified Route Structure.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the selected City-Pair Route Structure.

ERROR-148 PARAMETER /ALTPROF xxxxxxxxxxxxxxxx/ WAYPOINT NOT FOUND

Explanation: Data Validation Message. The specified Waypoint could not be found in the Waypoint Database. This error may occur as a result of a monthly Navigational Database Update.

Response: Contact Skyplan immediately to have the selected City-Pair Route Structure corrected.

ERROR-149 PARAMETER /MACRx/ MISSING MACRO NAME

Explanation: Macro Maintenance Message. The system requires a macro file name to complete the Macro Maintenance Request.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-150 PARAMETER /ALTPROF xxxxxxxxxxxxxxxx/ WAYPOINT NOT IN ROUTE

Explanation: Data Validation Message. The specified Waypoint is not in the specified Route Structure.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the selected City-Pair Route Structure.

ERROR-151 PARAMETER /ALTPROF xxxxxxxxxxxxxxxx/ MISSING INITIAL FLT LEVEL

Explanation: Data Validation Message. You must specify at least one Flight Level for Altitude Profiling.

Response: Correct and re-submit your request.

ERROR-152 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-153 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-154 PARAMETER /ATCRMK/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCRMK** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-155 PARAMETER /ATCRMK/ MAX 240 CHARACTERS ALLOWED

Explanation: Data Validation Message. The system can only handle a maximum of 240 characters for the ATC Remarks field.

Response: Correct and re-submit your request.

ERROR-156 PARAMETER /AFIS x/ FLIGHT PLAN NOT FINALIZED

Explanation: Data Validation Message. The flight plan must be finalized before an AFIS flight plan can be requested.

Response: Run the flight plan without the **AFIS** keyword, and then issue a separate request with the **AFIS** keyword to request the AFIS flight plan.

NOTE: You can request an AFIS flight plan at the same time you are filing your flight plan with ATC (**ATCFIL** keyword).

ERROR-157 PARAMETER /keyword xxxx/ INVALID WITH AFIS KEYWORD

Explanation: Data Validation Message. The system encountered a keyword that cannot be used with the AFIS flight plan request keyword.

Response: Correct and re-submit your request.

ERROR-158 RECLEAR LANDING WEIGHT TOO HIGH BY nnnnnn

Explanation: Runtime Error Message. The Landing Weight of the aircraft at the Reclearance Destination is above the maximum structural limitation of the aircraft.

Response: Either reduce the amount of Fuel or Payload or, choose another Reclear Point/Destination further away from the Originating Airport. Contact Skyplan if the problem persists.

ERROR-159 PARAMETER /keyword xxxx/ INVALID (ONLY A-Z,BLANK)

Explanation: Data Validation Message. The keyword input "xxxx" was not the correct data type.

Response: Correct and re-submit your request.

ERROR-160 PARAMETER /keyword nnnn/ INVALID (ONLY 0-9,MINUS)

Explanation: Data Validation Message. The keyword input "nnnn" was not the correct data type.

Response: Correct and re-submit your request.

ERROR-161 PARAMETER /keyword/ MISSING

Explanation: Data Validation Message. The specified required information was not provided in the Flight Plan request.

Response: Correct and re-submit your request.

ERROR-162 PARAMETER /keyword nnnn/ INVALID (ONLY 0-9,PERIOD)

Explanation: Data Validation Message. The keyword input "nnnn" was not correct data type.

Response: Correct and re-submit your request.

ERROR-163 PARAMETER /keyword nnnn/ INVALID (ONLY 0-9, PERIOD, MINUS)

Explanation: Data Validation Message. The keyword input "nnnn" was not the correct data type.

Response: Correct and re-submit your request.

ERROR-164 PARAMETER /keyword nnnn/ INVALID (ONLY nn TO nn)

Explanation: Data Validation Message. The keyword input "nnnn" was outside the acceptable range.

Response: Correct and re-submit your request.

ERROR-165 PARAMETER /keyword nnnn/ INVALID LENGTH

Explanation: Data Validation Message. The keyword input "nnnn" was not the correct length.

Response: Correct and re-submit your request.

ERROR-166 ROUTE DISTANCE EXCEEDS GREAT CIRCLE BY nnnn

Explanation: Runtime Error Message. The system computed a route that exceeds the great circle distance between the Orig-Dest airports by more than 2000 miles.

Response: Change your route (**RTE** or **VIA** waypoints) and re-submit your request. Contact Skyplan if the problem persists.

ERROR-167 PARAMETER /RECALL nnnnnn/ INVALID RECALL NUMBER

Explanation: Data Validation Message. The system was unable to find the specified flight plan recall number for your airline.

Response: Correct and re-submit your request.

ERROR-168 PARAMETER /keyword xxxx/ INVALID WITH RECALL/ATCFIL KEYWORD

Explanation: Data Validation Message. The system encountered a keyword that cannot be used in conjunction with the **RECALL** and the **ATCFIL** ATC filing request keywords.

Response: Correct and re-submit your request.

**ERROR-169 NO CLIMB PERFORMANCE DATA FOR AIRCRAFT (type series)
ERROR-169 INVALID PERFORMANCE PROFILE FOR AIRCRAFT (acft)**

Explanation: Runtime Error Message. The system encountered problems with the specified aircraft performance data and could not complete the Flight Plan calculations.

Response: Contact Skyplan immediately.

ERROR-170 PARAMETER /keyword XXXX/ INVALID (ONLY A-Z,0-9,BLANK)

Explanation: Data Validation Message. The keyword input "xxxx" was not the correct data type.

Response: Correct and re-submit your request.

ERROR-171 PARAMETER /ETOP x/ INVALID (ONLY Y/N/1-nn)

Explanation: Data Validation Message. The valid **ETOP** values are "Y" for Yes (default 3-ETP Scenario Type 1), "N" for No (no 3-ETP calculation), or 1-nn for the desired 3-ETP Scenario Type.

Response: Correct and re-submit your request.

ERROR-172 PARAMETER /RECALL nnnn/ CANNOT USE IN A MACRO

Explanation: Data Parsing Message. You cannot use the **RECALL** keyword in a stored macro.

Response: Correct and re-submit your request.

ERROR-173 UNABLE TO ATC FILE FLIGHTPLAN...CONTACT SKYPLAN

Explanation: Runtime Error Message. The system was unable to file your flight plan as requested. Filing of the flight plan will have to be done by Skyplan.

Response: Contact Skyplan immediately.

ERROR-174 PARAMETER /ENRTWX xxxx/ DUPLICATE AIRPORT

Explanation: Data Validation Message. The system found a duplicate airport in the en-route weather keyword (**ENRTWX**).

Response: Correct and re-submit your request.

ERROR-175 PARAMETER /WXBR xxxx/ MAX 6 BRIEFINGS ONLY

Explanation: Data Validation Message. The system can only accept a maximum of six (6) weather briefing requests.

Response: Correct and re-submit your request.

ERROR-176 PARAMETER /RTE/ AND /RTEMAN/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since the **RTEMAN** keyword creates a User Specified Route. Use the **RTE** keyword for a specific pre-stored route. Use the **RTEMAN** keyword to have the system generate a fixed Route using a specified Route string.

Response: Correct and re-submit your request.

ERROR-177 PARAMETER /PAX xxx/ OVER-BOOKED BY xxx (MAX SEATS=xxx)

Explanation: Data Validation Message. The system cannot accept more than the maximum amount of passengers for the selected aircraft.

Response: Correct and re-submit your request.

ERROR-178 PARAMETER /PAXWT xxx/ VALID RANGE IS 150 TO 350 LBS

Explanation: Data Validation Message The specified passenger weight is outside the acceptable range.

Response: Correct and re-submit your request.

ERROR-179 PARAMETER /PAXWT xxx/ VALID RANGE IS 70 TO 160 KGS

Explanation: Data Validation Message The specified passenger weight is outside the acceptable range.

Response: Correct and re-submit your request.

**ERROR-180 PARAMETER /PAX nnn PAXWT nnn CARGO nnnn/ EZFW
Exceeds Maximum EZFW by xxxx**

Explanation: Data Validation Message. The cargo (plus passengers) onboard cannot exceed the maximum dry weight of the aircraft (i.e.: EZFW - Estimated Zero Fuel Weight).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-181 PARAMETER /PYLD xxxx - PAX nnn/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since they both determine the Payload for the flight. Use either the **PYLD** keyword or the **PAX/PAXWT/CARGO** keywords to specify the payload weight.

Response: Correct and re-submit your request.

**ERROR-182 PARAMETER /RTEMAN wpt.awy.wpt/ INVALID AIRWAY
CONNECTION**

Explanation: Data Validation Message. The waypoints are not connected via the specified airway.

Response: Correct and re-submit your request.

**ERROR-183 PARAMETER /RTEMAN wpt.awy/ INVALID AIRWAY
CONNECTION**

Explanation: Data Validation Message. The airway is not connected to the specified waypoint.

Response: Correct and re-submit your request.

ERROR-184 PARAMETER /RTEMAN SID-sidname.wpt/ INVALID SID

Explanation: Data Validation Message. The requested departure procedure (SID) is not in the SID database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing SID added to the Database.

ERROR-185 PARAMETER /RTEMAN wpt.STR-starname/ INVALID STAR

Explanation: Data Validation Message. The requested arrival procedure (STAR) is not in the STAR database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing STAR added to the Database.

ERROR-186 PARAMETER /RTEMAN ENT-entryname.wpt/ INVALID ENTRY

Explanation: Data Validation Message. The requested Track Entry route is not in the ENTRY database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing ENTRY added to the Database.

ERROR-187 PARAMETER /RTEMAN wpt.XIT-exitname/ INVALID EXIT

Explanation: Data Validation Message. The requested Track Exit route is not in the EXIT database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing EXIT added to the Database.

ERROR-188 PARAMETER /RTEMAN wpt.awy.XXXX/ MISSING END WAYPOINT

Explanation: Data Validation Message. The route string must end with either a valid waypoint, "DCT" or "." (direct route to destination), or "MTTA" (random route to destination).

Response: Correct and re-submit your request.

ERROR-189 PARAMETER /RTEMAN TRK-struct-name/ INVALID TRACK

Explanation: Data Validation Message. The requested Track route is not in the TRACK database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing TRACK added to the Database.

ERROR-190 PARAMETER /RTEMEA x/ INVALID (ONLY Y/N/R/C)

Explanation: Data Validation Message. The valid **RTEMEA** values are "N" for No Check, "Y" to check using MEA, "R" to check using MORA, or "C" to check using MOCA.

Response: Correct and re-submit your request.

ERROR-191 PARAMETER /VIA/ AND /RTEMAN/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time. Use the **VIA** keyword to have the system generate a Random Route between the specified VIA waypoints. Use the **RTEMAN** keyword to have the system generate a fixed Route using a specified Route string.

Response: Correct and re-submit your request.

ERROR-192 PARAMETER /RTE/, /VIA/ AND /RTEMAN/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time. Use the **RTE** keyword for a specific pre-stored route. Use the **VIA** keyword to have the system generate a Random Route between the specified VIA waypoints. Use the **RTEMAN** keyword to have the system generate a fixed Route using a specified Route string.

Response: Correct and re-submit your request.

ERROR-193 PARAMETER /ALTPROF xxxxxxxxxxxxxxxx/ WAYPOINT NOT IN ROUTE

ERROR-194 PARAMETER /ALTPROF xxxxxxxxxxxxxxxx/ WAYPOINT NOT IN ROUTE

Explanation: Data Validation Message. The specified Waypoint is not in the specified Route String Structure.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-195 PARAMETER /ALTPROF xxxxxxxxxxxxxxxx/ MISSING INITIAL FLT LEVEL

Explanation: Data Validation Message. You must specify at least one Flight Level for Altitude Profiling.

Response: Correct and re-submit your request.

ERROR-196 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-197 PARAMETER /RCPNT xxxxxxxxxxxxxxxx/ WAYPOINT NOT ON ROUTE

Explanation: Data Validation Message. The specified Reclear Waypoint is not in the specified Manual Route Structure.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

**ERROR-198 PARAMETER /RTEMAN xxxx/ MAX nn WAYPOINTS REACHED
ERROR-198 CONTACT SKYPLAN IMMEDIATELY**

Explanation: Data Validation Message. The system has reached the maximum number of waypoints it can process for the specified airway.

Response: Contact Skyplan immediately to have the maximum increased. In the meantime, have Skyplan load the desired route into your Route Database, then request the route using the **/RTE nn/** keyword.

**ERROR-199 PARAMETER /RTEMAN xxxx/ MAX nn WAYPOINTS REACHED
ERROR-199 CONTACT SKYPLAN IMMEDIATELY**

Explanation: Data Validation Message. The system has reached the maximum number of waypoints it can process for the specified airway.

Response: Contact Skyplan immediately to have the maximum increased. In the meantime, have Skyplan load the desired route into your Route Database, then request the route using the **/RTE nn/** keyword.

ERROR-200 PARAMETER / RTEMAN/ AIRWAY xxxxx HAS MORE THAN nn SEGMENTS

ERROR-200 CONTACT SKYPLAN IMMEDIATELY

Explanation: Data Validation Message. The system has reached the maximum number of airway segments it can process for the specified airway.

Response: Contact Skyplan immediately to have the maximum increased. In the meantime, have Skyplan load the desired route into your Route Database, then request the route using the **/RTE nn/** keyword.

ERROR-201 ERR20A: CANNOT PROCEED WITH FUEL BURNS

ERROR-201 ERR20B: CANNOT PROCEED WITH FUEL BURNS

Explanation: Runtime Error Message. The system encountered problems with the specified aircraft performance data and could not complete the Flight Plan calculations.

Response: Contact Skyplan immediately.

ERROR-202 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-203 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-204 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-205 INVALID ETP POLICY

Explanation: Runtime Error Message. The specified ETP Policy Number you specified is not defined in the Flight Planning system.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to have a new ETP policy defined.

ERROR-206 PARAMETER /RTETRK xxx/ TRACK STRUCTURE NOT FOUND

Explanation: Data Validation Message. The specified Track Structure is not defined in the Track Route Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-207 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-208 PARAMETER /RTE nn/ ROUTE NOT FOUND

Explanation: Data Validation Message. The specified Route/Analysis Number is not defined in the Routes Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or if you wish to add or revise a City-Pair Route.

ERROR-209 PARAMETER /DEVTYP xxx/ INVALID (ONLY PPC)

Explanation: Data Validation Message. The Device Type must be a valid type (i.e.: PPC, which stands for PocketPC).

Response: Correct and re-submit your request.

ERROR-210 PARAMETER /ETP/ CANNOT USE WITH ORIG-ORIG FLIGHT

Explanation: Data Validation Message. The **ETP** keyword can only be used when requesting a Flight Plan with different Origin and Destination airports.

Response: Correct and re-submit your request.

ERROR-211 PARAMETER /AUTOSEC/ CANNOT USE WITH ORIG-ORIG FLIGHT

Explanation: Data Validation Message. The **AUTOSEC** keyword can only be used when requesting a Flight Plan with different Origin and Destination airports.

Response: Correct and re-submit your request.

ERROR-212 PARAMETER /ETOP/ CANNOT USE WITH ORIG-ORIG FLIGHT

Explanation: Data Validation Message. The **ETOP** keyword can only be used when requesting a Flight Plan with different Origin and Destination airports.

Response: Correct and re-submit your request.

ERROR-213 PARAMETER /RTE/ NO ROUTES FOUND FOR orig-orig

Explanation: Data Validation Message. The system was unable to find any pre-stored routes in the Routes Database for the specified ORIG-ORIG flight request.

Response: Use the **VIA** or **RTEMAN** keyword and re-submit your request. Contact Skyplan if you wish to add an Origin to Origin Route.

ERROR-214 PARAMETER /FLTNO TRNG/ NOT A VALID FLIGHT NUMBER

Explanation: Data Validation Message. "TRNG" is not a valid flight number.

Response: Correct and re-submit your request.

ERROR-215 PARAMETER /RTE DCT/ CANNOT USE WITH ORIG-ORIG FLIGHT

Explanation: Data Validation Message. You cannot use a DIRECT route when requesting a Flight Plan with the same Origin and Destination airports.

Response: Use the **VIA** or **RTEMAN** keyword and re-submit your request. Contact Skyplan if you wish to add an Origin to Origin Route.

ERROR-216 PARAMETER /keyword xxxx/ INVALID WITH RECALL/AFIS KEYWORD

Explanation: Data Validation Message. The system encountered a keyword that cannot be used in conjunction with the **RECALL** and the **AFIS** Flight Plan request keywords.

Response: Correct and re-submit your request.

ERROR-217 PARAMETER /PYLD xxxx - CARGO nnnn/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since they both determine the Payload for the flight. Use either the **PYLD** keyword or the **PAX/PAXWT/CARGO** keywords to specify the payload weight.

Response: Correct and re-submit your request.

ERROR-218 PARAMETER /CARGO nnnn/ CANNOT USE WITHOUT PAX KEYWORD

Explanation: Data Validation Message. In order to use the **CARGO** keyword, you must specify the number of passengers using the **PAX** keyword.

Response: Correct and re-submit your request.

ERROR-219 EQUIPMENT TYPE CONFLICT FOR /ACFT xxxxxxxx/ - [Type1][Type2]

Explanation: Runtime Error Message. The system encountered multiple aircraft types defined for the requested Aircraft Registration.

Response: Use the Aircraft FIN identifier to specify the aircraft. Contact Skyplan to have this aircraft registration conflict corrected..

ERROR-220 PARAMETER / IFREGN x/ INVALID (ONLY Y/N)

Explanation: Data Validation Message. The valid **IFREGN** values are "Y" for Yes (ATC file by Aircraft Registration), or "N" for No (ATC file by Flight Number).

Response: Correct and re-submit your request.

ERROR-221 PARAMETER /CRZ xxx/ CRUISE MODE NOT FOUND

Explanation: Data Validation Message. The specified Cruise Mode is not defined in the Aircraft Performance datafile.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-222 PARAMETER /RTEMAN wpt.awy.wpt/ INVALID AIRWAY CONNECTION

Explanation: Data Validation Message. The waypoints are not connected via the specified airway.

Response: Correct and re-submit your request.

ERROR-223 PARAMETER /AUTOSEC/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **AUTOSEC** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-224 PARAMETER /RTEMAN wpt.awy.wpt/ INVALID AIRWAY DIRECTION

Explanation: Data Validation Message. One or more segments in the selected airway are one-way only.

Response: Correct and re-submit your request.

ERROR-225 PARAMETER /RTEMAN wpt.awy.wpt/ INVALID AIRWAY DIRECTION

Explanation: Data Validation Message. One or more segments in the selected airway are one-way only.

Response: Correct and re-submit your request.

ERROR-226 PARAMETER /ATCSTS/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCSTS** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-227 CANNOT ATC FILE A PLAN WITH FIXED/HISTORICAL WINDS

Explanation: Runtime Error Message. The flight plan must be run with current winds before it can be filed with ATC.

Response: Run the flight plan without the **COMP/ISA** keywords, or with a valid wind model (**/WNDSRC AVN/** or **/WNDSRC BRK/**).

ERROR-228 PARAMETER /RTEMAN TRK-struct-name/ TRACK NOT FOUND

Explanation: Data Validation Message. The requested Track route is not in the TRACK database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing TRACK added to the Database.

ERROR-229 PARAMETER /RTEMAN TRK-struct-name/ INVALID TRACK

Explanation: Data Validation Message. The requested Track route is not valid for the direction of flight.

Response: Correct and re-submit your request. Or contact Skyplan to have the invalid TRACK corrected in the Database.

**ERROR-230 PARAMETER /RTEMAN TRK-struct-name/ TRACK VALID
dd/hhmmZ TO dd/hhmmZ**

Explanation: Data Validation Message. The requested Track route is not valid for the specified ETD.

Response: Correct and re-submit your request.

**ERROR-231 PARAMETER /RTEMAN TRK-struct-name/ INVALID TRACK
CONNECTION**

Explanation: Data Validation Message. The requested Track route cannot be connected to specified airway waypoint or direct connection waypoint.

Response: Correct and re-submit your request. Or contact Skyplan to have the required TRACK connection added to the Database.

ERROR-232 PARAMETER /CAPT nnnn/ CAPTAIN CODE NOT FOUND

Explanation: Data Validation Message. The Captain Code could not be found in the Flight Operations Personnel Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists, or to have the new Captain Code added to the Flight Operations Personnel Database.

ERROR-233 PARAMETER /WNSRC xxx/ INVALID WIND MODEL

Explanation: Data Validation Message. The specified Wind Model code is not available.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

**ERROR-234 PARAMETER /COMP-ISA/ AND /WNSRC/ CANNOT USE
TOGETHER**

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since they both specify the Wind information for the flight. Use **COMP-ISA** keywords for user-specified Fixed Winds or **WNSRC** keyword for a specific Wind Model (Current or Historical).

Response: Correct and re-submit your request.

**ERROR-235 PARAMETER /AFIS x/ PLAN WAS RUN WITH
FIXED/HISTORICAL WINDS**

Explanation: Data Validation Message. The flight plan must be run with current winds to request the AFIS flight plan.

Response: Run the flight plan without the **COMP/ISA** keywords, or with a valid wind model (**/WNSRC AVN/** or **/WNSRC BRK/**).

**ERROR-236 PARAMETER /RSVTYP nnn/ AND /RSVFUEL nnn/ CANNOT USE
TOGETHER**

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since they both specify Reserve Policy information for the flight. Use **/RSVTYP 999/** to specify user defined Reserve (**RSVFUEL**) and Hold (**HLDTM**, **HLDFL**).

Response: Correct and re-submit your request.

ERROR-237 PARAMETER /RSVTYP nnn/ AND /HLDTM nnn/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since they both specify Reserve Policy information for the flight. Use **/RSVTYP 999/** to specify user defined Reserve (**RSVFUEL**) and Hold (**HLDTM**, **HLDFL**).

Response: Correct and re-submit your request.

ERROR-238 PARAMETER /RSVTYP nnn/ AND /HLDFL nnn/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time since they both specify Reserve Policy information for the flight. Use **/RSVTYP 999/** to specify user defined Reserve (**RSVFUEL**) and Hold (**HLDTM**, **HLDFL**).

Response: Correct and re-submit your request.

ERROR-239 PARAMETER /CRZFUEL nm/ KEYWORD NOT AVAILABLE

Explanation: Data Validation Message. This keyword is not implemented at this time.

Response: Correct and re-submit your request.

ERROR-240 PARAMETER /CRZTIMEB nm/ KEYWORD NOT AVAILABLE

Explanation: Data Validation Message. This keyword is not implemented at this time.

Response: Correct and re-submit your request.

ERROR-241 CLIMB TIME BIAS IS TOO LOW (xx TO xx)

Explanation: Runtime Error Message. The specified Climb time bias has caused the system to compute a Climb bias which is less than 90% the nominal Climb performance.

Response: Correct and re-submit your request.

ERROR-242 CRUISE TIME BIAS IS TOO LOW (xx TO xx)

Explanation: Runtime Error Message. The specified Cruise time bias has caused the system to compute a Cruise bias which is less than 90% the nominal Cruise performance.

Response: Correct and re-submit your request.

ERROR-243 DESCENT TIME BIAS IS TOO LOW (xx TO xx)

Explanation: Runtime Error Message. The specified Descent time bias has caused the system to compute a Descent bias which is less than 90% the nominal Descent performance.

Response: Correct and re-submit your request.

ERROR-244 HOLD TIME BIAS IS TOO LOW (xx TO xx)

Explanation: Runtime Error Message. The specified Hold time bias has caused the system to compute a Hold bias which is less than 90% the nominal Hold performance.

Response: Correct and re-submit your request.

ERROR-245 CLIMB TIME BIAS IS TOO HIGH (xx TO xx)

Explanation: Runtime Error Message. The specified Climb time bias has caused the system to compute a Climb bias which is more than 125% the nominal Climb performance.

Response: Correct and re-submit your request.

ERROR-246 CRUISE TIME BIAS IS TOO HIGH (xx TO xx)

Explanation: Runtime Error Message. The specified Cruise time bias has caused the system to compute a Cruise bias which is more than 125% the nominal Cruise performance.

Response: Correct and re-submit your request.

ERROR-247 DESCENT TIME BIAS IS TOO HIGH (xx TO xx)

Explanation: Runtime Error Message. The specified Descent time bias has caused the system to compute a Descent bias which is more than 125% the nominal Descent performance.

Response: Correct and re-submit your request.

ERROR-248 HOLD TIME BIAS IS TOO HIGH (xx TO xx)

Explanation: Runtime Error Message. The specified Hold time bias has caused the system to compute a Hold bias which is more than 125% the nominal Hold performance.

Response: Correct and re-submit your request.

ERROR-250 PARAMETER /CRZFUELB nn/ INVALID BIAS FUEL

Explanation: Data Validation Message. The specified Cruise bias fuel cannot be between -59 and +59. This range is reserved for the **CRZTIMEB** keyword.

Response: Correct and re-submit your request.

ERROR-251 PARAMETER /DSCFUELB nn/ INVALID BIAS FUEL

Explanation: Data Validation Message. The specified Descent bias fuel cannot be between -59 and +59. This range is reserved for the **DSCTIMEB** keyword.

Response: Correct and re-submit your request.

ERROR-252 PARAMETER /HLDFUELB nn/ INVALID BIAS FUEL

Explanation: Data Validation Message. The specified Hold bias fuel cannot be between -59 and +59. This range is reserved for the **HLDTIMEB** keyword.

Response: Correct and re-submit your request.

ERROR-253 PARAMETER /RTEXTFIR xxxx/ MAX 3 FIRS ONLY

Explanation: Data Validation Message. The system can only accept a maximum of three (3) FIRs to Avoid.

Response: Correct and re-submit your request.

ERROR-254 PARAMETER /RTEXTFIR xxxx/ FIR NOT FOUND

Explanation: Data Validation Message. The FIR could not be found in the FIR Database.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-255 PARAMETER /RTEXTFIR xxxx/ DUPLICATE FIR

Explanation: Data Validation Message. The system encountered a duplicate FIR.

Response: Correct and re-submit your request.

ERROR-256 CANNOT AVOID FIR AND RESOLVE MTTA ON ROUTE xxxx-xxxx-nn

Explanation: Runtime Error Message. The system was unable to generate a random route (MTTA) that avoids one or more specified FIRs (**RTEXTFIR**).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-257 ROUTE NOT FOUND/AVAILABLE

Explanation: Runtime Error Message. The system was unable to generate the requested random route (**RTE**).

Response: Correct and re-submit your request. Use the **/RTEDTL S/** keyword to request a list of valid Routes for the Citypair. Contact Skyplan if the problem persists.

ERROR-258 CANNOT AVOID FIR AND RESOLVE MTTA ON ROUTE xxxx-xxxx

Explanation: Runtime Error Message. The system was unable to generate a random route (MTTA) that avoids one or more specified FIRs (**RTEXTFIR**).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-259 [n] FAILED TO RESOLVE RADIAL ON ROUTE xxxx-xxxx

Explanation: Runtime Error Message. The system could not calculate the Radial Intersection point for the specified leg segment.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-260 [n] FAILED TO RESOLVE RADIALDME ON ROUTE xxxx-xxxx

Explanation: Runtime Error Message. The system could not calculate the RadialDME Intersection point for the specified leg segment.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-261 PARAMETER /ETPCRZ xxx/ CRUISE MODE NOT FOUND

Explanation: Data Validation Message. The specified Cruise Mode is not defined in the Aircraft Performance datafile.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-262 PARAMETER /ETPCRZ xxx/ INVALID ETP POLICY /ETP nn/

Explanation: Data Validation Message. The ETP Cruise Mode keyword can only be used when requesting the Oxygen Depressurization ETP scenario (ETP Policy 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-263 PARAMETER /ETPFL1 nnn/ INVALID ETP POLICY /ETP nn/

Explanation: Data Validation Message. The ETP Initial Level-Off Altitude keyword can only be used when requesting the Oxygen Depressurization ETP scenario (ETP Policy 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-264 PARAMETER /ETPFL2 nnn/ INVALID ETP POLICY /ETP nn/

Explanation: Data Validation Message. The ETP Final Level-Off Altitude keyword can only be used when requesting the Oxygen Depressurization ETP scenario (ETP Policy 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-265 PARAMETER /ETPOXYTM nnn/ INVALID ETP POLICY /ETP nn/

Explanation: Data Validation Message. The ETP Oxygen Duration keyword can only be used when requesting the Oxygen Depressurization ETP scenario (ETP Policy 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-266 CALCULATED ETD FLIGHT DAY /nn/ INVALID (NN TO NN)

Explanation: Data Validation Message. The calculated Flight Day (**FLTDY**) derived from the specified Estimated Arrival Time (**ETA**) is outside the valid range of days (i.e.: -2/+4 days).

Response: Correct and re-submit your request.

ERROR-267 CALCULATED ETD FLIGHT DAY /nn/ INVALID (NN TO NN)

Explanation: Data Validation Message. The calculated Flight Day (**FLTDY**) derived from the specified Estimated Arrival Time (**ETA**) is outside the valid range of days (i.e.: -2/+4 days).

Response: Correct and re-submit your request.

ERROR-268 PARAMETER /ALTN2 xxxx/ IS FARTHER THAN ALTN1 xxxx

Explanation: Data Validation Message. The secondary Destination Alternate Airport cannot be farther than the primary Destination Alternate Airport.

Response: Correct and re-submit your request.

ERROR-269 REQUIRED FUEL EXCEEDS DEPARTURE FUEL BY nnnn

Explanation: Runtime Error Message. The system has computed the required fuel which exceeds the requested departure fuel (**RMPF**) prior to determining the maximum payload (**PYLD**).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-270 DEPARTURE FUEL TOO LOW - RE-ENTER

Explanation: Runtime Error Message. The system has determined the departure fuel (**RMPF**) is less than Minimum Dispatch fuel or Minimum Landing Fuel (including any Additional and Tankered fuel).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-271 [n] DRIFTDOWN ALTITUDE Less Than 2000 Feet

Explanation: Runtime Error Message. The system was unable to determine a stable Driftdown flight level from the calculated ETP position.

Response: Revised your input keywords and re-submit your request. Contact Skyplan if the problem persists.

ERROR-272 PARAMETER /ALTN2 xxxx/ MUST SPECIFY AS ALTN1

ERROR-273 PARAMETER /ALTN2 xxxx/ MUST SPECIFY AS ALTN1

Explanation: Data Validation Message. You cannot specify a 2nd Alternate (**ALTN2**) without specifying a Primary Alternate (**ALTN1**) if the 2nd Alternate is farther than the default Primary Alternate (stored in the Alternates Database).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

**ERROR-274 PARAMETER / RTEMAN xxxxxx-xx/ DUPLICATE WAYPOINT(S)
FOUND**

ERROR-274 DUPLICATE WAYPOINT: xxxxxx-xx-x

Explanation: Data Validation Message. The Waypoint in the Waypoint Database is not unique (i.e.: appears in more than one country, or there is a VOR and an NDB waypoint by the same name).

Response: Provide the country code and possibly the type of waypoint when specifying the waypoint name (in the form "Waypoint-Country-Type").

ERROR-275 INVALID CLIMB FUEL PAD (xxxx TO xxxx)

Explanation: Runtime Error Message. The specified Climb fixed fuel bias is outside the range specified.

Response: Correct and re-submit your request.

ERROR-276 INVALID CRUISE FUEL PAD (xxxx TO xxxx)

Explanation: Runtime Error Message. The specified Cruise fixed fuel bias is outside the range specified.

Response: Correct and re-submit your request.

ERROR-277 INVALID DESCENT FUEL PAD (xxxx TO xxxx)

Explanation: Runtime Error Message. The specified Descent fixed fuel bias is outside the range specified.

Response: Correct and re-submit your request.

ERROR-278 INVALID HOLD FUEL PAD (xxxx TO xxxx)

Explanation: Runtime Error Message. The specified Hold fixed fuel bias is outside the range specified.

Response: Correct and re-submit your request.

ERROR-279 CLIMB FUEL BIAS IS TOO LOW

Explanation: Runtime Error Message. The specified Climb fuel and ratio biases result in a climb fuel burn which is less than the minimum acceptable climb burn.

Response: Correct and re-submit your request.

ERROR-280 CRUISE FUEL BIAS IS TOO LOW

Explanation: Runtime Error Message. The specified Cruise fuel and ratio biases result in a cruise fuel burn which is less than the minimum acceptable climb burn.

Response: Correct and re-submit your request.

ERROR-281 DESCENT FUEL BIAS IS TOO LOW

Explanation: Runtime Error Message. The specified Descent fuel and ratio biases result in a descent fuel burn which is less than the minimum acceptable climb burn.

Response: Correct and re-submit your request.

ERROR-282 HOLD FUEL BIAS IS TOO LOW

Explanation: Runtime Error Message. The specified Hold fuel and ratio biases result in a hold fuel burn which is less than the minimum acceptable climb burn.

Response: Correct and re-submit your request.

ERROR-283 CLIMB FUEL BIAS IS TOO HIGH

Explanation: Runtime Error Message. The specified Climb fuel and ratio biases result in a climb fuel burn which is more than the maximum acceptable climb burn.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-284 CRUISE FUEL BIAS IS TOO HIGH

Explanation: Runtime Error Message. The specified Cruise fuel and ratio biases result in a cruise fuel burn which is more than the maximum acceptable climb burn.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-285 DESCENT FUEL BIAS IS TOO HIGH

Explanation: Runtime Error Message. The specified Descent fuel and ratio biases result in a descent fuel burn which is more than the maximum acceptable climb burn.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-286 HOLD TIME BIAS IS TOO HIGH

Explanation: Runtime Error Message. The specified Hold fuel and ratio biases result in a hold fuel burn which is more than the maximum acceptable climb burn.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-287 PARAMETER /CRZPROF/ AND /VIA/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system only accepts one of the keywords at a time.

Response: Correct and re-submit your request.

ERROR-288 PARAMETER / ALTPROF sidname.wpt/ INVALID SID

Explanation: Data Validation Message. The requested departure procedure (SID) is not in the SID database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing SID added to the Database.

ERROR-289 PARAMETER / ALTPROF entryname.wpt/ INVALID ENTRY

Explanation: Data Validation Message. The requested Track Entry route is not in the ENTRY database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing ENTRY added to the Database.

ERROR-290 PARAMETER / ALTPROF wpt.exitname/ INVALID EXIT

Explanation: Data Validation Message. The requested Track Exit route is not in the EXIT database.

Response: Correct and re-submit your request. Or contact Skyplan to have the missing EXIT added to the Database.

ERROR-291 UNABLE TO COMPUTE BURNS

Explanation: Runtime Error Message. The system generated a plan but failed one of many sanity checks (burns of zero, negative times, negative weights, etc.). The cause(s) may be bad keyword input, or a problem with data (winds, aircraft performance, etc).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-292 PARAMETER /ETPCRZ xxx/ INVALID ETOP TYPE /ETOP nn/

Explanation: Data Validation Message. The ETP Cruise Mode keyword can only be used when requesting the Oxygen Depressurization 3-ETP scenario (ETOP Type 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-293 PARAMETER /ETPFL1 nnn/ INVALID ETOP TYPE /ETOP nn/

Explanation: Data Validation Message. The ETP Initial Level-Off Altitude keyword can only be used when requesting the Oxygen Depressurization 3-ETP scenario (ETOP Type 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-294 PARAMETER /ETPFL2 nnn/ INVALID ETOP TYPE /ETOP nn/

Explanation: Data Validation Message. The ETP Final Level-Off Altitude keyword can only be used when requesting the Oxygen Depressurization 3-ETP scenario (ETOP Type 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-295 PARAMETER /ETPOXYTM nnn/ INVALID ETOP TYPE /ETOP nn/

Explanation: Data Validation Message. The ETP Oxygen Duration keyword can only be used when requesting the Oxygen Depressurization 3-ETP scenario (ETOP Type 10).

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-296 NO DRIFTDOWN DATA AVAILABLE FOR ETP CALCULATION

Explanation: Runtime Error Message. The system could not find the Driftdown performance data for the specified aircraft and could not complete the Flight Plan calculations.

Response: Contact Skyplan immediately.

ERROR-297 PARAMETER /ETPCRZ xxx/ CRUISE MODE NOT FOUND

Explanation: Data Validation Message. The specified Cruise Mode is not defined in the Aircraft Performance datafile.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-298 INVALID ETP PAIR

Explanation: Runtime Error Message. The system was unable to compute the Flight Plan with the specified Equal Time Point enroute stations.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-299 PARAMETER /RTE DCT/, /ETP/ OR /ETOP/ CANNOT USE TOGETHER

Explanation: Data Validation Message. The system is unable to compute Equal Time Points when you specify a direct route (**RTE DCT**).

Response: Correct and re-submit your request.

ERROR-300 EXCEEDS STRUCTURAL MTOW BY nnnn

Explanation: Runtime Error Message. The Estimated Take-Off Weight cannot exceed the maximum Structural Take-Off weight of the aircraft.

Response: Correct payload and/or fuel values and re-submit your request. Contact Skyplan if the problem persists, or if you wish to revise the Aircraft data.

ERROR-301 NO xxx DATA FOR DRIFTDOWN STABLE ALTITUDE nnn

Explanation: Runtime Error Message. The system could not find any Cruise performance data at the ETP Driftdown flight level for the specified aircraft and could not complete the Flight Plan calculations.

Response: Correct payload and/or fuel values and re-submit your request. Contact Skyplan if the problem persists.

**ERROR-302 PARAMETER / keyword XXXX/ WAYPOINT NOT ON AIRWAY
XXXXX**

Explanation: Data Validation Message. The specified Waypoint in keyword input "xxxx" is not connected to the specified Airway. Keyword may be **RTEMAN**, **VIA**, or **ALTPROF**.

Response: Correct and re-submit your request.

**ERROR-303 PARAMETER / keyword XXXX/ WAYPOINT NOT ON AIRWAY
XXXXX**

Explanation: Data Validation Message. The specified Waypoint in keyword input "xxxx" is not connected to the specified Airway. Keyword may be **RTEMAN**, **VIA**, or **ALTPROF**.

Response: Correct and re-submit your request.

**ERROR-304 NO xxx DATA FOR nn ENGINE(S) WGHT: nnnnn ISA: nn.nn FL:
nnn**

Explanation: Runtime Error Message. The system could not find performance data (at the current aircraft weight/ISA/FltLevel) for the specified aircraft and could not complete the Flight Plan calculations.

Response: Correct payload and/or fuel values and re-submit your request. Contact Skyplan if the problem persists.

**ERROR-305 PARAMETER /ATCRMK/ UNABLE TO PROCESS ATC
REMARKS**

Explanation: Data Validation Message. The system encountered a problem when adding the specified ATC Remarks into the ICAO Flight Plan item 18 section ("RMK").

Response: Correct and re-submit your request.

ERROR-306 PARAMETER /ATCOPR/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCOPR** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-307 PARAMETER /ATCTYP/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCTYP** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-308 PARAMETER /ATCPER/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCPER** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-309 PARAMETER /ATCCOM/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCCOM** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-310 PARAMETER /ATCNAV/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCNAV** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-311 PARAMETER /ATCI19/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-312 PARAMETER / ATCI19 x/ INVALID (ONLY Y/N)

Explanation: Data Validation Message. The valid **ATCI19** values are "Y" for Yes (Include Item19 fields), or "N" for No (Suppress Item19 fields) in the ATC ICAO Flight Plan.

Response: Correct and re-submit your request.

ERROR-313 PARAMETER /ATCI19P/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19P** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-314 PARAMETER /ATCI19R/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19R** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-315 PARAMETER / ATCI19R x/ INVALID RADIO TYPE (ONLY U/V/E)

Explanation: Data Validation Message. The specified ATC Item19 Emergency Radio Type is not a valid code.

Response: Correct and re-submit your request.

ERROR-316 PARAMETER /ATCI19S/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19S** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-317 PARAMETER / ATCI19S x/ INVALID SURVIVAL EQUIP TYPE (ONLY P/D/M/J)

Explanation: Data Validation Message. The specified ATC Item19 Survival Equipment Type is not a valid code.

Response: Correct and re-submit your request.

ERROR-318 PARAMETER /ATCI19J/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19J** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-319 PARAMETER / ATCI19J x/ INVALID JACKETS TYPE (ONLY L/F/U/V)

Explanation: Data Validation Message. The specified ATC Item19 Life Jackets Type is not a valid code.

Response: Correct and re-submit your request.

ERROR-320 PARAMETER /ATCI19D1/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19D1** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-321 PARAMETER /ATCI19D2/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19D2** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-322 PARAMETER /ATCI19D3/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19D3** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-323 PARAMETER / ATCI19D3 x/ INVALID (ONLY C)

Explanation: Data Validation Message. The valid **ATCI19D3** value is "C" for Dinghy Cover in the ATC ICAO Flight Plan.

Response: Correct and re-submit your request.

ERROR-324 PARAMETER /ATCI19D4/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19D4** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-325 PARAMETER /ATCI19A/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19A** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-326 PARAMETER /ATCI19N/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCI19N** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-327 PARAMETER /ATCWT/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCWT** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-328 PARAMETER / ATCWT x/ INVALID WAKE TURBULENCE CATEGORY (ONLY H/M/L)

Explanation: Data Validation Message. The specified ATC Item9 Wake Turbulence Category is not a valid code.

Response: Correct and re-submit your request.

ERROR-329 PARAMETER /ATCEQ1/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCEQ1** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-330 PARAMETER / ATCEQ1 x/ INVALID EQUIPMENT TYPE (ONLY N/S)

Explanation: Data Validation Message. The specified ATC Item10a COM/NAV Equipment flag is not a valid code.

Response: Correct and re-submit your request.

ERROR-331 PARAMETER /ATCEQ2/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCEQ2** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-332 PARAMETER /ATCEQ3/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCEQ3** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-333 ERR10: NO LRC PERFORMANCE DATA FOR GIVEN WEIGHT AND FLIGHT LEVEL

Explanation: Runtime Error Message. The system encountered problems with the specified aircraft performance data and could not complete the Flight Plan calculations for the selected Alternate.

Response: Adjust weight, fuel, and/or flight level and re-submit your request. Contact Skyplan if the problem persists.

ERROR-334 PARAMETER /ATCREG/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCREG** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-335 PARAMETER /ATCSEL/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCSEL** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-336 PARAMETER /ATCDAT/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCDAT** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-337 PARAMETER /ATCPER x/ INVALID CODE (ONLY A/B/C/D/E/H)

Explanation: Data Validation Message. The specified ATC Item18 Aircraft Performance Data code is not valid.

Response: Correct and re-submit your request.

ERROR-338 PARAMETER /ATCDEP/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCDEP** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-339 PARAMETER /ATCDEST/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCDEST** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-340 PARAMETER /ATCALTN/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCALTN** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-341 PARAMETER /ATCRALT/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCRALT** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-342 ROUTE TO ALTERNATE DISTANCE EXCEEDS nnn NM

Explanation: Runtime Error Message. The given alternate airport is too far away.

Response: Correct and re-submit your request.

ERROR-343 ROUTE TO DESTINATION EXCEEDS GREAT CIRCLE DISTANCE BY nnn

Explanation: Runtime Error Message. The route from the origin airport to the destination airport is excessively greater than the great circle distance between origin and destination. This usually indicates an error in the route.

Response: Correct the route and re-submit your request.

ERROR-344 ROUTE TO ALTERNATE EXCEEDS GREAT CIRCLE DISTANCE BY nnn

Explanation: Runtime Error Message. The route from the destination airport to the primary alternate airport is excessively greater than the great circle distance between destination and primary alternate. This usually indicates an error in the route.

Response: Correct the route and re-submit your request.

ERROR-345 ETOW EXCEEDS MTOW BY nnnnn

Explanation: Runtime Error Message. The Estimated Take-Off Weight will cause the aircraft to exceed the defined weight limitations at cruising altitude.

Response: Reduce the take-off weight and re-submit your request. Contact Skyplan if the problem persists.

ERROR-346 UNABLE TO GENERATE FLIGHT PLAN AT SELECTED SPEED WITH GIVEN WEIGHTS

Explanation: Runtime Error Message. No flight level could satisfy the flight plan requirements. This error usually indicates too much payload or insufficient fuel.

Response: Add fuel, reduce the take-off weight, or reduce the cruise setting and re-submit your request. Contact Skyplan if the problem persists.

ERROR-347 EZFW + CALC MIN LANDING FUEL EXCEEDS MLW BY nnn

Explanation: Runtime Error Message. The aircraft landing weight will exceed MLW by the indicated weight.

Response: This error generally indicates too much payload or fuel. Reduce the aircraft weight and re-submit your request. Contact Skyplan if the problem persists.

ERROR-348 ALTN: NO xxx BURNS FOR WEIGHT: nnnnnn

Explanation: Runtime Error Message. The system could not find any Cruise (xxx is the selected CRZ mode) Aircraft Performance data for the calculated Aircraft weight for the Destination to Alternate fuel burn calculation.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-349 PARAMETER / ATCEQ2/ INVALID CODE [x]

Explanation: Data Validation Message. The specified ATC Item10a COM/NAV Equipment code is not valid.

Response: Correct and re-submit your request.

ERROR-350 PARAMETER /ATCEQ2/ INVALID CODE [n] MUST BE PREFIXED BY E/J/M

ERROR-351 PARAMETER /ATCEQ2/ INVALID CODE [n] MUST BE PREFIXED BY E/J/M

Explanation: Data Validation Message. The specified ATC Item10a COM/NAV Equipment code is not valid.

Response: Correct and re-submit your request.

ERROR-352 PARAMETER /ATCEQ2/ INVALID CODE USE x1 to x3 ONLY

ERROR-353 PARAMETER /ATCEQ2/ INVALID CODE USE x1 to x7 ONLY

Explanation: Data Validation Message. The specified ATC Item10a COM/NAV Equipment code is not valid (must be within the allowable range).

Response: Correct and re-submit your request.

ERROR-354 PARAMETER /ATCEQ2/ DUPLICATE CODE [xn]

ERROR-355 PARAMETER /ATCEQ2/ DUPLICATE CODE [x]

Explanation: Data Validation Message. The specified ATC Item10a COM/NAV Equipment code is specified more than once.

Response: Correct and re-submit your request.

ERROR-356 PARAMETER /ATCEQ3/ INVALID CODE [x]

Explanation: Data Validation Message. The specified ATC Item10b Surveillance Equipment code is not valid.

Response: Correct and re-submit your request.

ERROR-357 PARAMETER /ATCEQ3/ INVALID CODE [n] MUST BE PREFIXED BY B/D/G/U/V

ERROR-358 PARAMETER /ATCEQ3/ INVALID CODE [n] MUST BE PREFIXED BY B/D/G/U/V

Explanation: Data Validation Message. The specified ATC Item10b Surveillance Equipment code is not valid.

Response: Correct and re-submit your request.

ERROR-359 PARAMETER /ATCEQ3/ INVALID CODE USE x1 to x2 ONLY

ERROR-360 PARAMETER /ATCEQ3/ INVALID CODE USE x1 ONLY

Explanation: Data Validation Message. The specified ATC Item10b Surveillance Equipment code is not valid (must be within the allowable range).

Response: Correct and re-submit your request.

ERROR-361 PARAMETER /ATCEQ3/ DUPLICATE CODE [xn]

ERROR-362 PARAMETER /ATCEQ2/ DUPLICATE CODE [x]

Explanation: Data Validation Message. The specified ATC Item10b Surveillance Equipment code is specified more than once.

Response: Correct and re-submit your request.

ERROR-363 PARAMETER /ATCEQ3/ CANNOT SPECIFY ANY OTHER CODES WITH [N]

Explanation: Data Validation Message. You cannot specify any ATC Item10b Surveillance Equipment code(s) with the "N" (No) code.

Response: Correct and re-submit your request.

ERROR-364 PARAMETER /ATCEQ3/ CANNOT SPECIFY [x,x,x] WITH [x]

Explanation: Data Validation Message. The system encountered an ATC Item10b Surveillance Equipment code conflict.

Response: Correct and re-submit your request.

ERROR-365 PARAMETER /ATCPBN/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCPBN** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-366 PARAMETER /ATCPBN/ INVALID CODE [x]

Explanation: Data Validation Message. The specified ATC Item18 Performance Based Navigation code is not valid.

Response: Correct and re-submit your request.

ERROR-367 PARAMETER /ATCPBN/ INVALID CODE [x] MUST BE PREFIXED BY A LETTER (IE: A1)

ERROR-368 PARAMETER /ATCPBN/ INVALID CODE [x] MUST BE PREFIXED BY A LETTER (IE: A1)

Explanation: Data Validation Message. The specified ATC Item18 Performance Based Navigation code is not valid.

Response: Correct and re-submit your request.

ERROR-369 PARAMETER /ATCPBN/ INVALID CODE USE x1 ONLY

ERROR-370 PARAMETER /ATCPBN/ INVALID CODE USE x1 TO x6 ONLY

Explanation: Data Validation Message. The specified ATC Item 18 Performance Based Navigation code is not valid (must be within the allowable range).

Response: Correct and re-submit your request.

ERROR-371 PARAMETER /ATCPBN/ DUPLICATE CODE [xn]

Explanation: Data Validation Message. The specified ATC Item 18 Performance Based Navigation code is specified more than once.

Response: Correct and re-submit your request.

ERROR-372 PARAMETER /ATCSUR/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCSUR** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-373 PARAMETER / ATCCODE/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCCODE** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-374 PARAMETER / ATCDLE/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCDLE** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-375 PARAMETER / ATCORGN/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCORGN** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-376 PARAMETER / ATCTALT/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCTALT** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-377 PARAMETER /ATCSTS xxxx/ INVALID STS CODE

Explanation: Data Validation Message. The specified ATC Item18 Reason for Special Handling code is not valid.

Response: Correct and re-submit your request.

ERROR-378 PARAMETER /ATCEQ3/ CANNOT SPECIFY [x1] WITH [x2]

Explanation: Data Validation Message. The system encountered an ATC Item10b Surveillance Equipment code conflict.

Response: Correct and re-submit your request.

ERROR-379 PARAMETER /ATCCODE xxxx/ INVALID (HEX CHARS ONLY)

Explanation: Data Validation Message. The **ATCCODE** keyword can only accept hexadecimal characters (A to F, 0 to 9).

Response: Correct and re-submit your request.

ERROR-380 PARAMETER / ATCRVR/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCRVR** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-381 PARAMETER /ATCRFP/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCRFP** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-382 PARAMETER /ATCRFP xx/ INVALID FORMAT (EX: Q1)

Explanation: Data Validation Message. The keyword **ATCRFP** must be specified with a "Q" followed by a digit (1 to 9).

Response: Correct and re-submit your request.

ERROR-383 MTOW EXCEEDS AIRCRAFT LIMITATION

Explanation: Runtime Error Message. The Maximum Take-Off Weight for the flight plan (whether specified or computed based on user input) will exceed the aircraft's structural Maximum Take-Off Weight.

Response: Correct and re-submit your request.

ERROR-384 HOLD FUEL BIAS IS TOO LOW

Explanation: Runtime Error Message. The specified Hold fuel and ratio biases result in a hold fuel burn which is unacceptably low.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-385 HOLD FUEL BIAS IS TOO HIGH

Explanation: Runtime Error Message. The specified Hold fuel and ratio biases result in a hold fuel burn which is more than the maximum acceptable hold fuel.

Response: Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-386 INSUFFICIENT HOLD FUEL

Explanation: Runtime Error Message. The Hold fuel for the flight plan is unacceptably low.

Response: Check the hold time and any hold fuel biasing. Correct and re-submit your request. Contact Skyplan if the problem persists.

ERROR-387 PARAMETER /ATCDOF/ CANNOT USE WITH /FLTNO TEST/

Explanation: Data Validation Message. The **ATCDOF** keyword can only be used when requesting a valid Flight Plan.

Response: Correct and re-submit your request.

ERROR-388 PARAMETER /ATCDOF nnnnnn/ INVALID DATE (YYMMDD)

Explanation: Data Validation Message. The specified ATC Item18 Day Of Flight is not in the correct format.

Response: Correct and re-submit your request.

**ERROR-389 PARAMETER /ATCDOF nnnnnn/ DOES NOT MATCH ETD
[nnnnnn]**

Explanation: Data Validation Message. The specified ATC Item 18 Day Of Flight is not the same as the computed estimated Date of Departure (ETD).

Response: Correct and re-submit your request.

**ERROR-390 PARAMETER /ATCDOF nnnnnn/ INVALID (ONLY Y/N OR
YYMMDD)**

Explanation: Data Validation Message. The valid **ATCDOF** values are "Y" for Yes (computed ATC Item 18 DOF/), "N" for No (suppress ATC Item 18 DOF/), or YYMMDD to specify a user-defined ATC Item 18 DOF/.

Response: Correct and re-submit your request.

ERROR-391 PARAMETER /ATCFILTM nnnn/ INVALID (ONLY 0000 TO 2359)

Explanation: Data Validation Message. The specified ATC "Time to File" value must be a valid time in Zulu.

Response: Correct and re-submit your request.

ERROR-392 VALID RANGE IS hhmm TO hhmm

Explanation: Runtime Error Message. The specified ATC "Time to File" value is not within the range that is acceptable by the system (is Zulu).

Response: Correct and re-submit your request.

ERROR-900 FLIGHT PLAN REQUEST CANCELLED...CONTACT SKYPLAN

Explanation: Runtime Error Message. Your Flight Plan request had to be manually cancelled because the system was unable to complete the request.

Response: Contact Skyplan immediately.

ERROR-901 REQUEST TIMED OUT DURING: 'XXXXXXXXXXXXXXXXXXXXX'

Explanation: Runtime Error Message. Your Flight Plan request had to be manually cancelled because the system was unable to complete the request.

Response: Contact Skyplan immediately.

**ERROR-902 FOMS SOFTWARE LICENSE HAS EXPIRED
ERROR-902 Please contact Skyplan for licensing information.**

Explanation: Runtime Error Message. Your Flight Plan request had to be manually cancelled because the system was unable to confirm that the flight planning software was legally licensed for your use.

Response: Contact Skyplan immediately.

**ERROR-997 CONTACT SKYPLAN...UNDEFINED ERROR (nnn):
ERROR-997 XXX**

Explanation: Runtime Error Message. The system has encountered an unknown error condition.

Response: Contact Skyplan immediately.

**ERROR-998 CONTACT SKYPLAN...UNDEFINED ERROR (nnn):
ERROR-998 XXX**

Explanation: Runtime Error Message. The system has encountered an unknown error condition.

Response: Contact Skyplan immediately.

**ERROR-999 CONTACT SKYPLAN...UNDEFINED ERROR (nnn):
ERROR-999 XXX**

Explanation: Runtime Error Message. The system has encountered an unknown error condition.

Response: Contact Skyplan immediately.

4. Warning Messages

WARNING - DRIFTDOWN FILE NOT FOUND

Explanation: No Driftdown Performance data was available for the specified aircraft when performing the Equal Time Point calculation.

Response: If available, provide the Driftdown Performance data for your aircraft to Skyplan for loading into the system.

WARNING - LEG xxxxxxxx-xxxxxxx IS NOT ETOPS COMPLIANT

Explanation: The system has found that one or more legs within the selected route with the specified ETOPS stations (**ETOPSTN** keyword) are outside the ETOPS rules for the aircraft.

Response: Select a different route or modify the list of ETOPS stations.

WARNING - /MLW/ REDUCED TO ACFT MAX LANDING WEIGHT OF n

Explanation: The system has determined the specified Maximum Landing Weight specified exceeds the aircraft's capabilities. The system has reduced it to the MLW in the Aircraft Characteristics Database.

Response: Verify the flight plan to ensure desired result.

WARNING - /MTOW/ REDUCED TO ACFT MAX TAKEOFF WEIGHT OF n

Explanation: The system has determined the specified Maximum Takeoff Weight specified exceeds the aircraft's capabilities. The system has reduced it to the MTOW in the Aircraft Characteristics Database.

Response: Verify the flight plan to ensure desired result.

WARNING - PASSED ETOPS COMPLIANCE CHECK [xxxx-xxxx]

Explanation: The system has verified that the selected route with the specified ETOPS stations (**ETOPSTN** keyword) complies with the ETOPS rules for the aircraft.

Response: None.

WARNING - WARNING! - DISTANCE EXCEEDS G/C BY nnn

Explanation: The system used a route that has a distance 15% greater than the Great Circle distance for the specified city-pair.

Response: Review the flight plan routing if the distance is excessive. Select another route or contact Skyplan to have the Fixed Route revised.

WARNING - WARNING: NEXT LEG ORIGIN DIFFERS FROM THIS DESTINATION

Explanation: The system has found that there is a subsequent flight leg for the specified aircraft already in the system with a different origin airport. This may indicate a missing flight leg between this flight and the one already in the system.

Response: None.

WARNING - xxx Leg xxxxxxxx-xxxxxxx FL[nnn] No MEA
WARNING - xxx Leg xxxxxxxx-xxxxxxx FL[nnn] No MORA
WARNING - xxx Leg xxxxxxxx-xxxxxxx FL[nnn] No MOCA

Explanation: The system could not validate the Altitude Minimum for one or more legs within the selected route (RTE), Route to Alternate1 (ALT), or Route to Reclear Destination (RCL).

Response: Revised the Altitude Compliance criteria (**RTEMEA**), select a different route, modify the Max Flight Level (**FL** or **ALTNFL**) of the Route, or modify the Route Altitude Profile (**ALTPROF**).

WARNING - xxx Leg xxxxxxxx-xxxxxxx FL[nnn] under MEA[nnn]
WARNING - xxx Leg xxxxxxxx-xxxxxxx FL[nnn] under MORA[nnn]
WARNING - xxx Leg xxxxxxxx-xxxxxxx FL[nnn] under MOCA[nnn]

Explanation: The system has found that one or more legs within the selected route (RTE), Route to Alternate1 (ALT), or Route to Reclear Destination (RCL) are under the Altitude Minimum specified by the **RTEMEA** keyword.

Response: Select a different route, modify the Max Flight Level (**FL** or **ALTNFL**) of the Route, or modify the Route Altitude Profile (**ALTPROF**).

WARNING – ETP [n] xxxxxxxx-xxxx FL[nnn] No MORA

Explanation: The system could not validate the Altitude Minimum for one or more ETP routes specified by the ETP airports keyword (**ENRT**).

Response: Select different ETP airports (**ENRT**), or modify the ETP Policy (**ETP**).

WARNING - ETP [n] xxxxxxxx-xxxx FL[nnn] under MORA[nnn]

Explanation: The system has found that one or more ETP routes are under the Altitude Minimum specified by the **RTEMEA** keyword.

Response: Select different ETP airports (**ENRT**), or modify the ETP Policy (**ETP**).

WARNING - Selected profile xxx changed to xxx

Explanation: The system automatically used a lower Mach number(s) and/or LRC cruise data as it could not use the selected Mach number for the cruise portion of the flight.

Response: Select a different cruise mode (**CRZ**), select a different route (**RTE** or **RTEMAN**), modify the Max Flight Level (**FL**) of the Route, or modify the Route Altitude Profile (**ALTPROF**).

WARNING - Fuel added or transferred to achieve ETP scenario.

Explanation: In order to achieve the ETP scenario(s) requested, the system automatically transferred fuel to Additional, either from Tankerage or extra, or added more fuel to the aircraft.

Response: Review the fuel allocations in the flight plan to ensure desired result.

WARNING - Flightplan using Fixed Winds (Cannot be Filed)

Explanation: The system will display this warning when the Flightplan was run with Fix winds (example: **/COMP -15/ISA 5/**).

Response: None.

WARNING - Flightplan using Historical Winds (Cannot be Filed)

Explanation: The system will display this warning when the Flightplan was run with Historical winds (example: **WNDSRC Q01/**).

Response: None.

WARNING - Route to Destination Exceeds GC distance by nnn

Explanation: The route from the origin airport to the destination airport is unusually greater than the great circle distance between origin and destination. This may indicate an error in the route.

Response: None.

WARNING - Route to Destination Exceeds GC distance by nn%

Explanation: The route from the origin airport to the destination airport is unusually greater than the great circle distance between origin and destination. This may indicate an error in the route.

Response: None.

WARNING - Route to Alternate Distance Exceeds nnn NM

Explanation: The distance from the destination airport to the primary alternate airport is unusually far. This may indicate a poor choice for alternate airport.

Response: None.

WARNING - Route to Alternate Exceeds GREAT CIRCLE distance by nnn

Explanation: The route from the destination airport to the primary alternate airport is unusually greater than the great circle distance between destination and primary alternate. This may indicate an error in the route.

Response: None.

WARNING - Route to Alternate Exceeds GREAT CIRCLE distance by nn%

Explanation: The route from the destination airport to the primary alternate airport is unusually greater than the great circle distance between destination and primary alternate. This may indicate an error in the route.

Response: None.

WARNING - ICAO FP non-ICAO2012 compliant. Please verify Acft Record

Explanation: The system has determined that the ICAO Flightplan may not be compliant with the ICAO2012 ATC filing changes. As a result, your flightplan may be rejected by ATC after November 15, 2012.

Response: Please verify and correct the ATC Filing information associated with your aircraft. If required, contact Skyplan for assistance.